PS
THE
PREVENTIVE
ITENANCE
SAY, HOW DID YOU FIND THE AUTHORITY FOR THESE?
I USED THE PS INDEX... NATURALLY!
INDEX
Issues 140-145
(Jul-Dec 1964)

PS THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 10
to
ISSUES 140 - 145

(JULY - DECEMBER 1964)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 140 to 145 INCLUSIVE

	PS	Page
A		
AIMING CIRCLE, M2		
Care during travel	145	6
AIR COMPRESSOR		
Davey MC2A publications	145	65
AIRCRAFT ARMAMENT		
M2 and M6 Subsystem		
Lube with semi-fluid LSA	140	43
M6 Subsystem		
M60C Machine Gun--Use right feed tray	143	46
AIRCRAFT, ARMY		
Fixed Wing		
Observation Series		
O-1 (Bird Dog)		
Carburetor--Soak injection type	144	25
Cockpit light replacement--Error in PS 136	141	65
Engine--Make tool to measure valve erosion	140	40
Tail Wheel--Coat spring with oil	140	41
Voltage regulator FSN	144	23
Utility Series		
U-6 (Beaver)		
Spar Bolt--Requisition by correct FSN	144	27
Voltage regulator FSN	144	23
U-8 (Seminole)		
EIR each engine component removal	145	39
Propeller--Check spinner for cracks	140	37
Rudder pedals reversed	145	38
U-9 (Aero Commander)		
EIR each engine component removal	145	39
VTOL Aircraft		
OV-1 (Mohawk)		
Break down oversize -20 and -20P pubs	145	41
Engine--Don't force fuel control inlet screen	141	28
Wing--Paint around walkways to prevent damage	143	21

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Fixed Wing		
VTOL Aircraft		
OV-1 (Mohawk) and CV-2B (Caribou)		
MWO 10-8415-202-20/1 authorizes oxygen mask fasteners for APH-5	143	23
CV-2 (Caribou)		
EIR each engine component removal	145	39
How to change tail lights	141	27
Landing Gear--Make tool to support disconnected nose gear	145	40
Preventive Maintenance--Increase in dusty conditions	144	18
Rotary Wing		
Helicopter Series		
UH-1 (Iroquois)		
Main Rotor Tie-Down--Have it repaired	144	24
Tools--Vibration tester kit added to shop sets	141	26
Wheel, ground-handling, FSN's	144	27
UH-1B (Iroquois)		
Tools--Local purchase lead wrench	141	26
OH-13E, G (Sioux)		
Engine Oil Filter--Install collar up	144	26
OH-23 (Raven)		
Transmission Oil System--Check daily	144	65
T/R Blades--Check yoke section before condemning	144	65
CH-34 (Choctaw)		
Carburetor--Special wrenches for	143	27
Window--MWO applies retaining clip	144	25
CH-37 (Mojave)		
CH-37A mods are carried on -5 for remanufactured CH-37B's	143	26
Crew-chief maintenance stand--tow bar fix.	143	25
Spark Plugs--Choose the best one	144	23
Tail Rotor--Double-safety pitch change links	142	19
Universal cargo sling fix	144	22
CH-47 (Chinook)		
Break down oversize -20 and -20P pubs	145	41
AIRCRAFT, ARMY, GENERAL		
Aeronautical Charts--Not on automatic distribution	140	38
APU--Warm up before using	144	21
Cleaning--Remove grease from transparent plastic	141	24
Compass card FSN	141	24
Energizer--Model No. 8D-28-10 pub available	140	65
Engine--Chip detectors being installed	142	20
Fire Extinguisher (CF_3BR)--Mounting bracket FSN	142	20
Fire extinguisher tag's optional	141	28

	PS	Page
AIRCRAFT, ARMY, GENERAL (Cont'd)		
Forms		
DA Form 12-36 for Avionics pubs	144	28
DA Form 2696--Use for hazard reporting	145	39
Fuel--Use either 80/87 or 115/145 Av Gas	143	26
Generator cable "fender bracket"	143	22
Hardware--Use nuts listed in parts pub	141	25
Headsets (H-101/U)--Keep 'em	143	23
Helmet, APH-5--White enamel authorized	140	42
Inspections--Overflying is local decision	143	24
MWO's on the -14	145	37
Oil--Dispersant and detergent, don't mix	141	22
Publications		
TB AVN 23-65--Keep current on changes	143	26
TB AVN 23-73--Covers TEFLON hoses	144	28
Three-day runup symbol (dash)	143	20
Tool Kit, Aircraft Mechanics	142	22
Tools--Dial indicator added to tool kit	141	25
Turnbuckles--Make tool to adjust	144	20
AIR FILTER		
Construction Equipment--Keep filter clean	143	62
AMMO		
VX M121A1, 155-mm (persistent, gas)	143	48
ANTENNAS		
Any danger from mounted gas can	145	50
ANTI-FREEZE		
Log it--DA Form 2408-3	145	27
AVIONICS		
DA Form 12-36 for pubs distribution	144	28

B

BATTERIES		
BA-259--Tuck leads under bracket	143	45
BA-376/U, BA-377/U--Arctic batteries for portable radio sets	144	50
BA-472/U--How to cap it	144	46
E94--Use in instrument lights	140	54
Nickel Cadmium--BB-433 parts available	145	49
PM for use with radios	140	2
BEARINGS		
Maintenance	144	2
BRAKE		
Air tank bleeding	145	26

C

CABLES
Secure radio cables to mounts when not in use 144 49
Take care of plugs and connectors 143 42
CALENDAR
FSN's for Julian dated 141 65
CALIBRATION SOP (Continuity) 143 29
CAN, GAS
Any Danger from RF output? 145 50
Spout--How to repair 143 62
CAPACITORS
Ground them before removing them 145 65
CARBON MONOXIDE (CO)--Dangers of 143 2
CARRIER, AMPHIBIOUS, M116
Heater-Igniter life VS voltage regulator setting 144 16
CARRIER, LIGHT WEAPONS, M274
Thermal Contact Removal--New stud used 140 12
CARRIER, PERSONNEL M59
Use turret type M2 machine gun 141 51
CARRIER, PERSONNEL, ARMORED M113
Fix for 105 ammo box tray (w/50 cal ammo) 141 51
FSN for spark plugs and gaskets 140 15
Reverse tow hooks 140 15
CARRIER, RECON, M114
Heater-Igniter life VS voltage regulator setting 144 16
CIRCUIT TESTER, LOW VOLTAGE
Cable--Cut off long tips 143 61
CLEANING
Carbon tet is gone 142 64
Typewriter brush 140 58
CRANE, GENERAL
Safety near power lines 143 60
CRANE SHOVEL, GAR WOOD
Instruments, M20A(F), M20B 142 60

D

DUFFEL BAGS--Marking 145 61

E

ENTAC
Joy stick not a toy 142 40
EQUIPMENT RECORDS, GENERAL
Serial Numbers--Towed howitzers and mechanized gun . . . 143 49

F

FIELD RANGE, M1937
Knob, Flame Valve Stem--New FSN 145 65
Valve Stem Body Packing Gland--How to remove 142 60
FLAME THROWER, PORTABLE, M2A1-7
Removing hose from M7 gun 140 56
FLAME THROWER, SP, M132
New SP flamethrower 141 46
FORMS, DA, DD, SF, ETC.
Antifreeze is logged in DA Form 2408-3 or -6 . . . . . 145 27
DA Form 12-36--Avionics pubs 144 28
DA Form 1045 . . . . . 140 1
DA Form 1543 takes remarks, not DA Form 2527 . . . . . 141 65
DA Form 2028 . . . . . 140 1
DA Form 2028--New form 145 62
DA Form 2407 . . . . . 140 1
DA Form 2407--EIR replies 144 54
DA Form 2409--Plastic cover 144 64
DA Form 2527 . . . . . 141 65
Equipment Records 144 1
Punch card supply forms 2765, 2765-1 . . . . . 141 2
TAERS Forms--Make clear carbons 145 64
TM 38-750 forms 145 1
FUEL
Combat Gasoline--Supply 142 61
FUEL TANK FILLER CAP
Gasket for M151 1/4-ton truck 145 18

G

GASKETS, GENERAL
Supply--They come in packs of assorted sizes 140 57
GENERATOR, 5KW
PU286 A/G--Crankcase capacity 145 59
GENERATOR, 150-KW
Waukesha 6-NKDBS-EU1--Follow LO 145 59

	PS	Page
GENERATOR SET		
HOL-GAR Model CE 106AC/WK9		
How to get engine start and stop switch	142	61
HOL-GAR, CE-600-AC/EG--Parallel cable	144	65
GRADER		
Clutch--Don't ride it!	143	59
GUN, MACHINE, M60, 7.62-MM		
Bolt--Replace when worn	143	47
Lock springs--How to prevent loss	144	38
Mount--Convert MG M2 to MG M122 and apply new serial number	142	41
Stock and handguard--Keep hot barrels of other guns off 'em	141	50
Stop screws and trigger guards--Cut to 2-in after MWO applied on jeep-mounted guns	141	50
GUN, MACHINE, M73, 7.62-MM		
Blank firing attachment installation	144	40
GUN, SELF-PROPELLED, GENERAL		
Watch for water damage	141	43
GUN, SELF-PROPELLED, 175-MM, M107		
FSN changes in -20P	140	65
Matching T and M numbers	140	18
Power Pack Sling	143	14
Torsion bar FSN's	145	16
GUN, SELF-PROPELLED, 8" M110		
Power Pack Sling	143	14
GUN, SUBMACHINE		
M3 and M3A1--Use care when cleaning with M5 brush	140	53

H

HANDSET		
H-33/PT		
Don't disassemble it	141	62
Moisture shield expedient	144	47
H-138/U--General PM	143	40
HAWK		
Coolant--Ready mixed type now in supply	141	53
Launcher		
Get water out of cooling duct	141	54
Heat Exchanger--Check it while cleaning	140	47
Lube oil in motor pump gear case--How to fill to right level	141	54
Suspension lockout assembly--Keep it clean	141	55

	PS	Page
HAWK (Cont'd)		
Loader		
Scuff plates--Use 'em to protect ramps	141	56
Track Blocks--Watch for wear	140	46
Missile		
Aft wing bolts--How to install	140	48
Metal strip on wings--Let support tighten it	140	48
Painting--Semi-gloss replaces lusterless lacquer	141	52
Plastic caps for pressure and exhaust ports--no longer needed	141	53
Radar, AN/MPQ-35		
Low voltage power check--Change in step 1d in table 19 of TM (delete last 3 paragraphs of PS article)	141	53
Low-voltage power check--error in PS 141	142	64
Test Set--Get help when lifting it	140	47
Training guide for crew	145	65
Warhead--Look for cracks around four bolt supports	141	52
HEADSETS		
H-81/PT, H-91/U, H-144/U--How to remove headband mounting ring	144	48
HELMET, APH-5, FLYING		
Painting--DA Cir 750-13 authorizes white	140	42
HOWITZER, GENERAL		
Watch for water damage	141	43
HOWITZER, SELF-PROPELLED, M110, 8"		
FSN changes in -20P	140	65
HONEST JOHN		
Launcher M386		
What you must do after MWO's applied	140	45
M405 Handling Unit		
Adapter assembly--Check lock handle when lifting XM66 motor	140	44
LO calls for GAA	140	44
HOWITZER, SELF-PROPELLED, 105-MM, M108		
Heater-Igniter life VS voltage regulator setting and igniter FSN	144	16
Matching T and M numbers	140	18
Track chevron direction	140	19
What the numbers mean	145	15
HOWITZER, SELF-PROPELLED, 155-MM, M109		
Cam Tension Spring--Allow 4-in between cap ends	142	41
Heater-Igniter life VS Voltage regulator setting and igniter FSN	144	16
Matching T and M numbers	140	18
Track chevron direction	140	19

	PS	Page
HOWITZER, 8", SELF-PROPELLED, M110		
Matching T and M numbers	140	18
Torsion bar FSN's	145	16

J

JULIAN DATES (See CALENDAR)

L

LIGHT SET, GENERAL PURPOSE		
Generator set, 1.5KW	143	61
LUBRICATION		
Differential, transfer case and transmission oil level	145	19
Engine oil changes	145	22

M

MAGNESIUM		
Special preparation for painting of magnesium surfaces	141	40
MAINTENANCE		
Calibration SOP	143	29
EIR replies	144	54
ESC--Up-date your TB's	143	65
Pubs superseded by TM 38-750 (15 Jan 64)	144	54
Readiness Inspection--Cir 20-4	143	1
MATERIALS HANDLING EQUIPMENT		
MHE 166 forklift--filter element	140	64
MHE 172 headlamp	145	60
MHE 183--6000-lb fork lift truck (use OE 10 in hydraulic system)	145	65
TM 10-1619--General data	144	64
MICROPHONES		
Take care of them in vehicles	144	49
MIRRORS, REAR VIEW		
5-Ton and 10-Ton Truck, west coast type	145	20
MOUNT, TELESCOPE, M110		
Broken shields--Remove 'em from M67 rifles	145	12
MULTIMETER		
AN/URM-105--General PM	140	20

N

NIKE HERCULES
Davey Compressor-Adapter washer is in TM 144 46
External Guidance Equipment Electron Tube--
use right one 142 47
Launcher
AG Data Converter--Fill till oil level's visible 142 44
MWO adds bleeder valve assemblies 144 44
Shock Absorbers--Put oil in 'em slowly 142 45
Use OHL to be on the safe side 144 45
Use right tool on right-hand booster stop screw 144 45
Launcher & Handling Rail
Quick-disconnect cables--Tips to make last longer . . .142 46
Lubrication--LO 9-1400-250-20 has the answers 144 44
Missile
Help support follow TB's instructions 142 47
Reglue or replace booster impact cushion routinely. . . 144 42
Right length for AN 5-13A bolts 144 42
Use right corrosion preventive compound
on rocket motor igniter 144 43
Waveguide Horns--Let support fix 'em 142 45
You can stock self-locking hex nut 144 43
Rocket Motor XM30--White stuff on
propellant grain is harmless 142 46
Tentage, air-supported--General maintenance 145 52

O

ODOMETER (See TRUCKS, GENERAL)
OEM
M88 Vehicle, Tank Recovery--Lifting chain 141 45
OIL
Differential, transfer case & transmission oil level 145 19
Engine tactical vehicles, periodic changes 145 22
OIL DRUMS
Replace plug when not using 145 61
OPERATIONS
Unsafe equip markers 140 13
OPTICAL INSTRUMENTS
Infra-red metascope--Care, use, capabilites 144 65
Winter Care 143 50

P

PACKAGING
SB 9-156--General supplies info 140 65
PAINT
Helmet, APH-5--White enamel authorized 140 42
PAINT, ELECTRONIC EQUIPMENT
FSN's & other info in SB 11-573 (Feb 64) 145 48
TB SIG 364 (Feb 64) contents 145 48
PARACHUTES
Troop Chute
AVCOM SL52-64 authorizes maneuverable type. 145 41
PERISCOPE M31 (Gunners)
Lock wire screws 145 5
PLOTTING BOARD, M16
Take care of it 140 54
POLE CLIMBERS
Keep gaff sharp 145 48
PONTONS, BRIDGING
Re-packing Care 143 64
POSTERS
How to get 38-series posters 142 65
PROJECTOR SET
AN/PFP-1--Don't use hot water on rewind belts. 142 57
PROTECTIVE MASK M17
Cleaning the M17 mask 145 65
Eyelens outserts, 3 kinds 140 60
Inlet valve caps 142 65
Remove plastic strips on M17 . . . . . 145 65
PUBLICATIONS
Aircraft Wiring--TM 11-530 . . . . . 142 56
AR 711-140 (List of Reportable Items) 143 28
AR 735-35--BIIL not mixed with PL load 144 56
AR 735-35, C4, authorizes stocking fringe items 144 58
AR 735-35, Ch 4--Remarks on DA Form1543 . . . . . 141 65
AR 735-35 (ROD card) 141 65
Binder for DA Pam 750-1 . . . . . 143 65
Calibration, AR 750-20 . . . . . 143 29
Commercial vehicle, how to get 143 16
Compass card FSN in -20P manual 141 24
DA Cir 750-3 (PM services) 145 27
DA PAM Indexing pubs 142 62
DA Pamphlet 310-10--Guide for
publications supply personnel 142 65
DA Pamphlet 750-1 . . . . . 142 58
Equipment Serviceability (ESC) 145 28

	PS	Page
PUBLICATIONS (Cont'd)		
FSC C6-10-SL, for storage equipment	140	64
How to get 38-series posters	142	65
MIL-STD 36030--Deletes carbon tet	142	64
Mil Supply Standards 4240-1 covers spectacles and goggles	140	61
New	140	28
	141	57
	142	58
	143	28
	144	28
	145	28
New DA Pam 38-750	140	65
Pamphlet 750-38 on Equipment Records	143	65
Pubs superseded by TM 38-750 (15 Jan 64)	144	54
SB 9-156--Packaging general supplies info.	140	65
SB 11-566 (Combat Essential Repair Parts)	145	49
SB 725-1 (Feb 64)--Primary Weapons & Equipment	143	28
TB ORD 1060 (Tool set calibration)	143	65
TB's list EIR's and action (EIR DIGEST)	144	54
TC 44-10 (Jan 64) for HAWK crew	145	65
TM 10-3930-232-10 (Jan 64) OK's OE 10 for hydraulic system	145	65
Trailer, Cargo, 3/4-Ton M101 and M101A1	140	65

R

RADAR SET		
Keep latches on case shut	143	39
RADIO SET CONTROL GROUP		
AN/GRA-6		
Don't touch binding posts when cranking	145	51
AN/GRA-39--Oil ringer shaft	145	51
RADIO SETS		
AM-65--Correct resistor	141	60
AN/ARC-55--Motor removal and other PM	145	46
AN/GRC-26D--Arc-over prevention	140	23
AN/MRC-95--Proper antenna storage	141	58
AN/PRC-6--Remove crystals properly	144	49
AN/PRC-6, -8, -9, -10 Arctic Batteries	144	50
Antennas--When to tune them	144	49
AN/TRC-68--Introductory article	142	48
AN/VRC-12 series		
How to use lift handles	144	52
Tape X-Mode-Normal Switch	142	51

	PS	Page
RADIO SETS (Cont'd)		
AN/VRC-24--Introductory article	142	48
AN/VRC-24, AN/TRC-68--Fuse cautions	145	42
AN/VRC-34, AN/GRC-87		
PM on RT-77	143	37
RT-66 thru -68		
Antenna coupling adjustment	142	52
Tubes--Check with tester	140	22
Vehicle Battery Care	140	2
Vehicle mounts must be kept locked	140	27
RADIO TELETYPEWRITER SETS		
AN/GRC-46B--Power cable FSN	142	54
RADIO TERMINAL SET		
AN/MRC-69--Remove filter coverings	142	52
READINESS		
Pubs superseded by TM 38-750 (15 Jan 64)	144	54
TB 9-2300-266 (13 Mar 64) up-dates your ESC TB's	143	65
RECORDS		
Equipment	145	1
Equipment (TM 38-750)	144	1
RECOVERY		
M62, Wrecker--Winch drum clutch lever	140	8
REEL UNITS		
RL-31--Be careful with cross-braces	142	55
RL-159/U field fix for transport	143	44
RIFLE, M1, Cal 30		
Parts--Interchangeable with ones on M14	145	10
RIFLE, M14, 7.62-MM		
Cock it first--Safety it second	140	50
Gas spindle valve position	140	49
Parts--Interchangeable with ones on M1	145	10
Rifle rack for use in large tent	140	51
Stack 'em according to Change 1 to FM 22-5	140	50
Treat stock with linseed oil	145	11
Zeroing--Use right tool on elevating knob	145	11
RIFLES, GENERAL		
Bracket, Truck installation	145	14
Identification marks--Use masking tape, not paint	145	9
Storage--Use of VCI tube	144	39
RIFLE, GRENADE LAUNCHER, M76		
Gas spindle valve position	140	49
RIFLE, RECOILLESS, 90-MM, M67		
Gun Safety Grip--Avoid over-stretching the spring	144	37
Sound Suppressor--How to get and install it	142	39
Transportation--Tips for getting it there safely	142	38

	PS	Page
RIFLE, RECOILLESS, 106-MM		
Vehicle mounted--Don't tighten handwheels for traveling	142	37
ROCKET LAUNCHER (3.5-IN)		
Bore--Never use abrasives in it	143	48
Electrical firing mechanism--What double click means	140	52
ROCKET LAUNCHER, MULTIPLE, M91		
Retention devices--MWO puts 'em on early models	145	13

S

SAFETY		
Industrial Spectacles and goggles	140	61
Tag unsafe equipment	140	13
Welding fuel tanks	145	27
SERGEANT		
Launching Station		
PM checks and services	144	65
M504 Launching Station		
Air Brake Couplings--How to connect up	142	42
Hydraulic oil--No substitute for OHA	142	43
SERIAL NUMBERS		
Towed howitzers and mechanized gun	143	49
SHELTER REPAIR KITS		
MX-680 turn-in, as per SB 11-562 (Jan 64)	145	49
SHELTERS, COMMUNICATION		
Emergency patching with tape	141	61
SIGHT, WEAPONS, INFRARED		
PM tips on batteries, body liner	145	8
SMALL ARMS		
M2 .50 cal Machine Gun--Use turret type gun on M59	141	51
M73 MG, tool (booster/flash-hider scraper)	141	50
STRAPS, PIONEER TOOL RACK (See TOOLS, Trucks)		
SUPPLY		
BIIL vs PLL	144	56
DA Form 10-233--Not for use with AR 735-35	143	65
Keeping ROD card	141	65
New supply forms 2765, 2765-1--How to use 'em	141	2
Parts Storage Equipment	140	64
Punch-card forms	143	65
Setting up authorized allowance of fringe items	144	58
Signal Combat Essential Repair Parts	145	49
SWITCHBOARD		
SB-22/PT or SB-86/P		
Plug Ends--Clean 'em with crocus cloth	142	56

	PS	Page
SWITCHBOARD (Cont'd)		
SB-86/P		
Keep pressure off cord circuit switches	141	64
Wiring connections	145	44

T

TANK, GENERAL		
How BATT-GEN indicator works	140	16
Watch for water damage	141	43
TANK, M48		
Proper hydraulic oil	141	42
TANK, M48A3		
How BATT-GEN indicator works	140	16
TANK, M60		
Breechblock Assembly--Press firing contact plunger	145	4
FSN for generator cooling motor	145	5
How BATT-GEN indicator works	140	16
Periscope M31 (Gunners)	145	5
Proper hydraulic oil	141	42
Rotate the M19 cupola's plastic ball bearings	141	44
TANK, M60A1		
Breech operating cams--How they work	145	2
How BATT-GEN indicator works	140	16
TANKS, MEDIUM, HEAVY		
T97E2 track with new connector	143	12
TARPAULINS		
Threading rope through hem	140	63
TELEPHONE		
TA-43, TA-312--Handset removal	140	26
TELESCOPE		
M105--Insert light housing on M48A3 tank from the left	145	16
TELETYPEWRITER		
Don't Overoil	143	43
TT-4 & TT-98--Locking procedure	140	24
TELETYPEWRITER SETS		
AN/FGC-70--Wind ribbon right on TT-365	142	54
FSN's for lubricants	145	50
TENTAGE, NIKE-HERC, AIR-SUPPORTED		
Maintenance, general	145	52
TOOLS		
Electric drill (1/4") unsafe	145	61
Make your own battery clamp tool	145	24
Power Pack Sling (M107, M110 SP's)	143	14

	PS	Page
TOOLS (Cont'd)		
Sets-Kits		
Aircraft Mechanics	142	22
Drive--Pin Punch	140	62
2d Echelon No. 2 common--Impact wrench added	144	59
2d Echelon No. 2 supplemental--Impact wrench added	144	59
TK-87/U--FSN for Utica #296 pliers	143	44
Tool set items due calibration	143	65
Trucks		
Pioneer tool rack straps--FSN	145	23
TOWING		
Loaded Fuel Truck--Follow safety rules	140	7
TRACK, T97E2		
Use lockwasher with new connector	143	12
TRACKED VEHICLE		
Disconnect horns	140	14
TRACTOR, CRAWLER, CAT		
Start-Stop procedure	145	58
TRACTOR, WHEELED, CAT DW20M		
Tool for tubeless tires	143	56
TRAILER, AMMO, 1-1/2-TON, M332		
Body cover FSN	145	27
FSN for dummy couplings	145	25
TRAILER, CARGO 3/4-TON		
M101 and M101A1 Publications	140	65
TRAILER, 1-1/2-TON, M332		
Ammo pay load and gross weight	142	64
TRAILER, 2-1/2-TON, M332		
FSN for dummy coupling covers	140	65
TRAY, AMMO, 105-ROUND		
Fix for using 50-cal ammo	141	51
TRUCK, 1/4-TON M151		
Drain, floor cover ring fix	141	37
Exhaust pipe extension	141	38
Fuel tank filler cup gasket	145	18
Repair parts for truck now available	143	17
TRUCK, 2 1/2-TON, G742 SERIES		
Instrument check	140	10
TRUCK, 2-1/2-TON, M35A1 (MULTIFUEL)		
Air cleaner filter element	143	15
General introduction	142	2
TRUCK, 5-TON, G744 SERIES		
Differential, transfer case & transmission oil level	145	19
TRUCK, 5-TON, M51		
Hydraulic reservoir fluid level (dump body)	145	17
TRUCK, 10-TON, M125		
Bolt, Draw-bar	141	39

	PS	Page
TRUCK, GENERAL		
Odometer--Why it runs backward when vehicle runs backward	141	38
Right ethylene glycol mix	143	18
TRUCK, TANK, 2 1/2-TON, M49C		
35-foot discharge hoses (old and new)	145	21
TRUCK, TRACTOR, 5-TON, M52		
Mirror, side and rearview, west coast type	145	20
TRUCK, WRECKER, 5-TON M62		
Front winch--Drum clutch lever	140	8
TYPEWRITER		
Care	140	59
Clean with brush	140	58

V

VEHICLE, COMMERCIAL		
Publications--How to get	143	16
VEHICLES, GENERAL		
Air tank bleeding	145	26
Winter driving speeds	144	13
VEHICLES, TACTICAL, GENERAL		
Air tank bleeding	145	26
Engine oil changes	145	22
VEHICLE TANK RECOVERY, M88		
Door-Lock Handles--Fix to protect	140	17
FSN for batteries	143	11
Heavy duty lifting chain	141	45
Transporting the VTR	141	45

W

WELDING		
MIG--Clothing and safety tips	142	59
Safety, fuel tank	145	27
WIND MEASURING SET		
AN/PMQ-6--Using D-Ring for tie-down	142	57
WRENCH, IMPACT (See TOOLS, No. 2 Common and No. 2 Supplemental)		

U. S. GOVERNMENT PRINTING OFFICE : 1965 O - 763-327

		0	0	0	JAN
*196	4	0	3	1	FEB
196	5	0	5	9	MAR
196	6	0	9	0	APR
196	7	1	2	0	MAY
*196	8	1	5	1	JUN
196	9	1	8	1	JUL
197	0	2	1	2	AUG
197	1	2	4	3	SEP
*197	2	2	7	3	OCT
197	3	3	0	4	NOV
		3	3	4	DEC

PUT LAST FIGURE OF THE YEAR IN THIS BLOCK → 4

PUT THE THREE FIGURES FOR THE MONTH IN THESE BLOCKS → 2 7 3

PUT DAY OF MONTH IN HERE (ONE OR TWO FIGURES) → 1 2

*LEAP YEARS ONLY. ADD 1 HERE FOR MARCH THRU DECEMBER → 1

NOW ADD 'EM UP! LIKE SO—



Julian style date for 12 Oct 1964